
CREATING
PERFECT
HARMONY™

ORO



ORO TRIO OF DESIGN AWARDS

Flair are proud to have received three design accolades in recognition of the ORO frameless shower door collection.

The Good Design Award, RedDot Award, and iF Design Award are seals of global design excellence and a testimony to our passion for product quality and innovation.




THE ORO[®] COLLECTION

In creating the ORO range, our aim is to enrich lives with beautifully designed products for living and giving, that are a pleasure to use.

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. Throughout an extensive product development process, there was tight collaboration between design, engineering and manufacturing to prototype, test, refine and produce this signature range.

The hand crafted ORO door handles are one of a kind and distinctly individual. The patented magnetic guide system provides a smooth and effortless gliding action for each sliding door. Elegance shines through the curved profile and hinge detailing. Each ORO component is carefully considered to enhance your experience every day.





IDEA
CONCEPT
PROTOTYPE
ORO



THE ORO COLLECTION

SILVER & BLACK OPTIONS

SLIDING DOOR 16	SLIDING DOOR WITH TWO INLINE PANELS 18	SLIDING QUADRANT DOOR 20
SLIDING OFFSET QUADRANT DOOR 22	HINGED QUADRANT DOOR 24	HINGED OFFSET QUADRANT DOOR 26
BIFOLD DOOR 28	HINGE DOOR 30	HINGE DOOR WITH INLINE PANEL 32
	HINGE & INLINE DOOR 34	HINGE & INLINE DOOR WITH INLINE PANEL 36

VISIONARY DETAILS

- 2000mm HEIGHT** | 2 METRES HIGH
- 8mm TOUGHENED SAFETY GLASS** | 8mm TOUGHENED SAFETY GLASS TO EN12150
- CLEARVUE GLASS COATING** | CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE
- CRAFTED HANDLE DESIGN** | UNIQUELY CRAFTED CHROME PLATED HANDLE
- SEAMLESS INTERIOR COVER STRIPS** | CONCEALED INTERIOR FIXATION POINTS
- ULTRA CLEAR SEALS** | INNOVATIVE ULTRA CLEAR SEALS
- SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION** | SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION
- LIFETIME GUARANTEE** | LIFETIME GUARANTEE

THE ORO® ULTRA FRAMELESS COLLECTION

BIFOLD DOOR / ULTRA FRAMELESS 38	HINGE DOOR / ULTRA FRAMELESS 40	HINGE & INLINE / ULTRA FRAMELESS 42
-------------------------------------	------------------------------------	--

VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH



CURVED HINGE
DETAILING




SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE




PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE

FUNCTIONAL INNOVATIONS



ULTRA
CLEAR
DOOR
SEALS



CUSHION
CLOSE
DAMPENER
SYSTEM



CURVED
RADIUS
DETAILING
THROUGHOUT





ORO LEFT HAND SLIDING DOOR
INSTALLED WITH SEMI FRAMED SIDE PANEL



ORO MATTE BLACK
LEFT HAND SLIDING DOOR
(ALCOVE)

SLIDING DOOR

A delightful choice, the ORO Sliding Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of its kind on the market. 8mm toughened safety glass offers a tactile feeling of strength and quality.


The **floating top rail design** is a signature characteristic of the ORO range. With a **seamless interior cover cap**, the top rail also cleverly conceals the roller system. The finishing touch is the **unique handle design** – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
1100mm Left Hand	1060mm	1100mm	480mm	OROSA110LSC	–
1100mm Right Hand	1060mm	1100mm	480mm	OROSA110RSC	–
1200mm Left Hand	1160mm	1200mm	580mm	OROSA120LSC	OROSA120LBC
1200mm Right Hand	1160mm	1200mm	580mm	OROSA120RSC	OROSA120RBC
1400mm Left Hand	1360mm	1400mm	580mm	OROSA140LSC	OROSA140LBC
1400mm Right Hand	1360mm	1400mm	580mm	OROSA140RSC	OROSA140RBC
1500mm Left Hand	1460mm	1500mm	580mm	OROSA150LSC	OROSA150LBC
1500mm Right Hand	1460mm	1500mm	580mm	OROSA150RSC	OROSA150RBC
1600mm Left Hand	1560mm	1600mm	580mm	OROSA160LSC	–
1600mm Right Hand	1560mm	1600mm	580mm	OROSA160RSC	–

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE	ADJUSTMENT SIZE		CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX		
700mm	670mm	690mm	OROSP70SC	OROSP70BC
760mm	730mm	750mm	OROSP76SC	OROSP76BC
800mm	770mm	790mm	OROSP80SC	OROSP80BC
900mm	870mm	890mm	OROSP90SC	OROSP90BC
1000mm	970mm	990mm	OROSPI00SC	–
1200mm	1170mm	1190mm	OROSPI20SC	–



ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

OVERALL

40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CLEARVUE

GLASS COATING

SEAMLESS INTERIOR COVER STRIPS

ULTRA CLEAR SEALS

CUSHION CLOSE DAMPENER MECHANISM

PATENTED MAGNETIC GUIDE SYSTEM

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE

NEW

SLIDING DOOR WITH TWO INLINE PANELS

The Sliding door with two inline panels provides a sleek, contemporary look while maximizing space.

The patented magnetic guide system is designed to guarantee the smoothest motion as the door glides around the bottom rail.

The sliding door with two inline panels can be installed in an alcove or with a frameless side panel option and is the perfect choice for a large, luxurious showering zone.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - SILVER	CODE - MATTE BLACK
1200mm Left Hand	1160mm	1200mm	412mm	OROSA2IL120LSC	OROSA2IL120LBC
1200mm Right Hand	1160mm	1200mm	412mm	OROSA2IL120RSC	OROSA2IL120RBC
1400mm Left Hand	1360mm	1400mm	493mm	OROSA2IL140LSC	OROSA2IL140LBC
1400mm Right Hand	1360mm	1400mm	493mm	OROSA2IL140RSC	OROSA2IL140RBC
1500mm Left Hand	1460mm	1500mm	542mm	OROSA2IL150LSC	OROSA2IL150LBC
1500mm Right Hand	1460mm	1500mm	542mm	OROSA2IL150RSC	OROSA2IL150RBC
1600mm Left Hand	1560mm	1600mm	542mm	OROSA2IL160LSC	OROSA2IL160LBC
1600mm Right Hand	1560mm	1600mm	542mm	OROSA2IL160RSC	OROSA2IL160RBC
1700mm Left Hand	1660mm	1700mm	614mm	OROSA2IL170LSC	OROSA2IL170LBC
1700mm Right Hand	1660mm	1700mm	614mm	OROSA2IL170RSC	OROSA2IL170RBC
1800mm Left Hand	1760mm	1800mm	614mm	OROSA2IL180LSC	OROSA2IL180LBC
1800mm Right Hand	1760mm	1800mm	614mm	OROSA2IL180RSC	OROSA2IL180RBC
2000mm Left Hand	1960mm	2000mm	614mm	OROSA2IL200LSC	OROSA2IL200LBC
2000mm Right Hand	1960mm	2000mm	614mm	OROSA2IL200RSC	OROSA2IL200RBC




RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND SIDE PANEL - SILVER

FRAMELESS SIDE PANEL OPTIONS *To suit sliding door with two inline panels only

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE - SILVER	CODE - MATTE BLACK
700mm (SA2IL specific)	660mm	680mm	OROSA2ILSP70SC	OROSA2ILSP70BC
800mm (SA2IL specific)	760mm	780mm	OROSA2ILSP80SC	OROSA2ILSP80BC
900mm (SA2IL specific)	860mm	880mm	OROSA2ILSP90SC	OROSA2ILSP90BC
1000mm (SA2IL specific)	960mm	980mm	OROSA2ILSP100SC	OROSA2ILSP100BC
1200mm (SA2IL specific)	1160mm	1180mm	OROSA2ILSP120SC	OROSA2ILSP120BC

Note - Two side panels can be made used to make a three sided enclosure.



8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

OVERALL PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

SEAMLESS INTERIOR COVER STRIPS

ULTRA CLEAR SEALS

CUSHION CLOSE DAMPENER MECHANISM

PATENTED MAGNETIC GUIDE SYSTEM

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE



LEFT HAND SLIDING DOOR WITH TWO INLINE PANELS IN ALCOVE - SILVER



RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND TWO SIDES PANELS - SILVER

SLIDING QUADRANT DOOR

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.


Functional distinction continues with the patented magnetic guide system – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the crafted handle design, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
900mm Left Hand	870mm	890mm	480mm	OROSQ90LSC	OROSQ90LBC
900mm Right Hand	870mm	890mm	480mm	OROSQ90RSC	OROSQ90RBC
1000mm Left Hand	970mm	990mm	480mm	OROSQ100LSC	–
1000mm Right Hand	970mm	990mm	480mm	OROSQ100RSC	–

ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- AVAILABLE IN SILVER & MATTE BLACK
- PATENTED MAGNETIC GUIDE SYSTEM
- CUSHION CLOSE DAMPENER MECHANISM
- CLEARVUE GLASS COATING
- LIFETIME GUARANTEE



ORO RIGHT HAND SLIDING QUADRANT - MATTE BLACK



ORO RIGHT HAND SLIDING QUADRANT - SILVER



ORO RIGHT HAND OFFSET SLIDING QUADRANT - SILVER
(to suit right hand offset quadrant shower tray)

SLIDING OFFSET QUADRANT DOOR

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.


Design excellence continues with the patented magnetic guide system ensuring the smoothest of motion as the door glides around the bottom rail. The crafted chrome handles have perfect symmetry, in line with the overall elegance of the door.

DOOR SIZE OPTIONS


PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE	
	MIN	MAX		- SILVER	- MATTE BLACK
1000 x 800mm Left Hand	770-970mm	790-990mm	480mm	OROSQ80X100LSC	-
1000 x 800mm Right Hand	770-970mm	790-990mm	480mm	OROSQ80X100RSC	-
1000 x 900mm Left Hand	870-970mm	890-990mm	480mm	OROSQ90X100LSC	-
1000 x 900mm Right Hand	870-970mm	890-990mm	480mm	OROSQ90X100RSC	-
1200 x 800mm Left Hand	770-1170mm	790-1190mm	480mm	OROSQ80X120LSC	OROSQ80X120LBC
1200 x 800mm Right Hand	770-1170mm	790-1190mm	480mm	OROSQ80X120RSC	OROSQ80X120RBC
1200 x 900mm Left Hand	870-1170mm	890-1190mm	480mm	OROSQ90X120LSC	OROSQ90X120LBC
1200 x 900mm Right Hand	870-1170mm	890-1190mm	480mm	OROSQ90X120RSC	OROSQ90X120RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



ORO RIGHT HAND OFFSET SLIDING QUADRANT - MATTE BLACK
(to suit right hand offset quadrant shower tray)



8mm TOUGHENED SAFETY GLASS	2000mm HEIGHT	20mm PROFILE ADJUSTMENT	10mm ULTRA LOW BOTTOM RAIL
CRAFTED HANDLE DESIGN	ULTRA CLEAR SEALS	PATENTED MAGNETIC GUIDE SYSTEM	SEAMLESS INTERIOR COVER STRIPS
CUSHION CLOSE DAMPENER MECHANISM	CLEARVUE GLASS COATING	AVAILABLE IN SILVER & MATTE BLACK	LIFETIME GUARANTEE

HINGED QUADRANT DOOR

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.


The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, this curved hinge door is secured by **ultra clear magnetic seals** that deliver the perfect positive close action every time.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
900mm Left Hand	870mm	890mm	570mm	OROHQ90LSC	OROHQ90LBC
900mm Right Hand	870mm	890mm	570mm	OROHQ90RSC	OROHQ90RBC
1000mm Left Hand	970mm	990mm	570mm	OROHQ100LSC	OROHQ100LBC
1000mm Right Hand	970mm	990mm	570mm	OROHQ100RSC	OROHQ100RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE



ORO LEFT HAND HINGED QUADRANT - MATTE BLACK



ORO RIGHT HAND HINGED QUADRANT - SILVER

HINGED OFFSET QUADRANT DOOR

Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by ultra clear magnetic seals that give the perfect close on the shower enclosure.




DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
1000 x 800mm Left Hand	770-970mm	790-990mm	570mm	OROHQ80X100LSC	—
1000 x 800mm Right Hand	770-970mm	790-990mm	570mm	OROHQ80X100RSC	—
1000 x 900mm Left Hand	870-970mm	890-990mm	570mm	OROHQ90X100LSC	—
1000 x 900mm Right Hand	870-970mm	890-990mm	570mm	OROHQ90X100RSC	—
1200 x 800mm Left Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120LSC	OROHQ80X120LBC
1200 x 800mm Right Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120RSC	OROHQ80X120RBC
1200 x 900mm Left Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120LSC	OROHQ90X120LBC
1200 x 900mm Right Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120RSC	OROHQ90X120RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



HANDED PRODUCT
PLEASE SELECT THE CORRECT DOOR OPENING FOR YOUR SPACE

- 8mm** TOUGHENED SAFETY GLASS
- 2000mm** HEIGHT
- 20mm** PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- 10mm** ULTRA LOW BOTTOM RAIL
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE



ORO RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)



ORO MATTE BLACK
RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)

BIFOLD DOOR

The ingenious design of the ORO Bifold Door makes it a firm favourite amongst this 8mm shower door range.

The innovative 180 degree hinge mechanism enables the door to open inwards and outwards, offering you total flexibility. A self stop hinge action prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The signature ORO handle design adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
700mm	660mm	700mm	483mm	OROBF70SC	-
760mm	720mm	760mm	538mm	OROBF76SC	-
800mm	760mm	800mm	575mm	OROBF80SC	OROBF80BC
900mm	860mm	900mm	668mm	OROBF90SC	OROBF90BC
1000mm	960mm	1000mm	759mm	OROBF100SC	OROBF100BC

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE	ADJUSTMENT SIZE		CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX		
700mm	670mm	690mm	OROSP70SC	OROSP70BC
760mm	730mm	750mm	OROSP76SC	OROSP76BC
800mm	770mm	790mm	OROSP80SC	OROSP80BC
900mm	870mm	890mm	OROSP90SC	OROSP90BC
1000mm	970mm	990mm	OROSPI00SC	-
1200mm	1170mm	1190mm	OROSPI20SC	-


ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Raised Stabilising Bar 1050mm	S-ORO105HSSB	S-ORO105HSSBMB

Note - Stabilising bar must be purchased with the bifold door and semi framed side panel with polished silver corner profile.



ORO BI-FOLD AND SIDE PANEL - LEFT HAND INSTALLATION - MATTE BLACK



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



ORO BI-FOLD AND SIDE PANEL - RIGHT HAND INSTALLATION

- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- OVERALL 40mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- UNIVERSAL LEFT OR RIGHT HAND OPENING
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE

HINGE DOOR

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the crafted chrome handles – shaped to give a tactile feeling of smooth perfection.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
800mm	760mm	800mm	660mm	OROHD80SC	OROHD80BC
900mm	860mm	900mm	760mm	OROHD90SC	OROHD90BC
1000mm	960mm	1000mm	860mm	OROHD100SC	–

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE	ADJUSTMENT SIZE		CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX		
700mm	670mm	690mm	OROSP70SC	OROSP70BC
760mm	730mm	750mm	OROSP76SC	OROSP76BC
800mm	770mm	790mm	OROSP80SC	OROSP80BC
900mm	870mm	890mm	OROSP90SC	OROSP90BC
1000mm	970mm	990mm	OROSPI00SC	–
1200mm	1170mm	1190mm	OROSPI20SC	–




ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1050mm	S-ORO105SSB	S-ORO105SSBMB

Note - Stabilising bar must be purchased with the with the hinge door and semi framed side panel with polished silver corner profile.

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL STRAIGHT STABILISING BAR



ORO HINGE DOOR AND SEMI FRAMED SIDE PANEL LEFT HAND INSTALLATION

NEW

ORO INLINE PANEL TO SUIT HINGE DOOR

The ORO hinge door installed with an inline panel is a practical yet elegant option for the bathroom.

The inline panels offer a great degree of flexibility, with a wide variety of sizes available. This sleek frameless shower door design is suitable for alcove/ recess installation only.

INLINE PANEL OPTIONS

PRODUCT SIZE	CODE - SILVER	CODE - MATTE BLACK
100mm (No Stabilising Bar Required)	OROIL10SC	-
200mm (No Stabilising Bar Required)	OROIL20SC	-
300mm (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400mm (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500mm (450mm Stabilising Bar Included)	OROIL50SC	-
600mm (450mm Stabilising Bar Included)	OROIL60SC	-

HINGE DOOR OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
800mm	760mm	800mm	660mm	OROHD80SC	OROHD80BC
900mm	860mm	900mm	760mm	OROHD90SC	OROHD90BC
1000mm	960mm	1000mm	860mm	OROHD100SC	-

BOTTOM BARRIER BAR - TO SUIT HINGE DOOR WITH INLINE PANEL APPLICATION

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Bottom Barrier Bar 1600mm	OROILBB-BFHDS	OROILBB-BFHDB

Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

OVERALL PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

LIFETIME GUARANTEE





ORO HINGE & INLINE DOOR WITH SEMI FRAMED SIDE PANEL - RIGHT HAND INSTALLATION



ORO LEFT HAND HINGE AND INLINE DOOR (alcove)

HINGE & INLINE DOOR


Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the products profile. Ultra clear magnetic seals giving a superior close action. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
1100mm Left Hand	1060mm	1100mm	740mm	OROHD110LSC	–
1100mm Right Hand	1060mm	1100mm	740mm	OROHD110RSC	–
1200mm Left Hand	1160mm	1200mm	740mm	OROHD120LSC	OROHD120LBC
1200mm Right Hand	1160mm	1200mm	740mm	OROHD120RSC	OROHD120RBC
1400mm Left Hand	1360mm	1400mm	740mm	OROHD140LSC	–
1400mm Right Hand	1360mm	1400mm	740mm	OROHD140RSC	–
1600mm Left Hand	1560mm	1600mm	740mm	OROHD160LSC	–
1600mm Right Hand	1560mm	1600mm	740mm	OROHD160RSC	–

Angled stabilising bar included with each door.



HINGE & INLINE OPEN POSITION MEASUREMENTS

DOOR SIZE	FIXED INLINE PANEL SIZE	DOOR OPEN EXTERNAL PROTRUSION*
1100mm	350mm	770mm
1200mm	400mm	770mm
1400mm	600mm	770mm
1600mm	750mm	770mm

*Door opens to 90° angle.

Note - Stabilising bar must be purchased with the hinge and inline door and semi framed side panel. Stabilising bar is standard 1600mm and can be resized to suit all door sizes.

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE	ADJUSTMENT SIZE		CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX		
700mm	670mm	690mm	OROSP70SC	OROSP70BC
760mm	730mm	750mm	OROSP76SC	OROSP76BC
800mm	770mm	790mm	OROSP80SC	OROSP80BC
900mm	870mm	890mm	OROSP90SC	OROSP90BC
1000mm	970mm	990mm	OROSPI00SC	–
1200mm	1170mm	1190mm	OROSPI20SC	–

ACCESSORIES

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB	S-ORO160SSBMB+TB

NEW

ORO INLINE PANEL TO SUIT HINGE & INLINE DOOR

The ORO hinge & Inline door installed with an inline panel achieves a luxurious, spacious feel whilst not compromising on functionality.

With an emphasis on frameless aesthetics, the curved hinges are countersunk on the interior allowing for effortless cleaning of the shower glass. The 8mm toughened safety glass stands at 2 metres tall and boasts Clearvue hydrophobic coating, making this shower door the perfect blend of form and function.

INLINE PANEL OPTIONS

PRODUCT SIZE	CODE - SILVER	CODE - MATTE BLACK
100mm - (No Stabilising Bar Required)	OROIL10SC	-
200mm - (No Stabilising Bar Required)	OROIL20SC	-
300mm - (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400mm - (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500mm - (450mm Stabilising Bar Included)	OROIL50SC	-
600mm - (450mm Stabilising Bar Included)	OROIL60SC	-

HINGE AND INLINE DOOR OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
1100mm Left Hand	1060mm	1100mm	740mm	OROHD110LSC	-
1100mm Right Hand	1060mm	1100mm	740mm	OROHD110RSC	-
1200mm Left Hand	1160mm	1200mm	740mm	OROHD120LSC	OROHD120LBC
1200mm Right Hand	1160mm	1200mm	740mm	OROHD120RSC	OROHD120RBC

BOTTOM BARRIER BAR - TO SUIT HINGE AND INLINE DOOR WITH INLINE PANEL APPLICATION

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Bottom Barrier Bar 2200mm	OROILBB-HDILS	OROILBB-HDILB

Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

OVERALL 40mm
PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

CLEARVUE
GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR COVER STRIPS

UNIVERSAL
LEFT OR RIGHT HAND OPENING

LIFETIME
GUARANTEE



BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Bifold and ultra frameless corner side panel is a truly versatile shower door choice. Designed to open both inwards and outwards, the self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels. The **raised stabilising bar** is engineered to accompany the **frameless corner side panel** and with its extra height, allows the door to fold inwards without restriction.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE	ADJUSTMENT	CODE - SILVER	CODE - MATTE BLACK
700mm	660 - 680mm	OROCSP70SC	-
760mm	720 - 740mm	OROCSP76SC	-
800mm	760 - 780mm	OROCSP80SC	OROCSP80BC
900mm	860 - 880mm	OROCSP90SC	OROCSP90BC
1000mm	960 - 980mm	OROCSP100SC	-

STEP 2 - SELECT SIZE OF DOOR

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
700mm	660mm	700mm	483mm	OROBF70SC	-
760mm	720mm	760mm	538mm	OROBF76SC	-
800mm	760mm	800mm	575mm	OROBF80SC	OROBF80BC
900mm	860mm	900mm	668mm	OROBF90SC	OROBF90BC
1000mm	960mm	1000mm	759mm	OROBF100SC	OROBF100BC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE	CODE - SILVER	CODE - MATTE BLACK
100mm	OROKIT1	-
200mm	OROKIT2	-
300mm	OROKIT3	OROKIT3B
400mm	OROKIT4	OROKIT4B

NOTE - BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.


Each corner inline panel kit includes the following components:

Inline panel, bottom barrier bar and stabilising bar with fixing brackets.

Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



8mm TOUGHENED SAFETY GLASS	2000mm HEIGHT	20mm CORNER SIDE PANEL ADJUSTMENT	20mm DOOR ADJUSTMENT	10mm ULTRA LOW BOTTOM RAIL	SUITABLE FOR SHOWER TRAY INSTALLATION ONLY
CRAFTED HANDLE DESIGN	ULTRA CLEAR SEALS	SEAMLESS INTERIOR COVER STRIPS	UNIVERSAL LEFT OR RIGHT HAND OPENING	CLEARVUE GLASS COATING	LIFETIME GUARANTEE



ORO BIFOLD DOOR AND ULTRA FRAMELESS CORNER SIDE PANEL (LEFT HAND INSTALLATION) - MATTE BLACK



ORO BIFOLD DOOR AND ULTRA FRAMELESS CORNER SIDE PANEL (LEFT HAND INSTALLATION)

HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Hinge Door and ultra frameless corner side panel radiates style and contemporary elegance.

This **corner side panel system** is modular, giving you flexibility with your door and inline panel sizing to suit your shower tray. Minimally designed but with durability in mind, the corner side panel is supported by a **sleek chrome stabilising bar**.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE	ADJUSTMENT	CODE - SILVER	CODE - MATTE BLACK
700mm	660 - 680mm	OROCSP70SC	-
760mm	720 - 740mm	OROCSP76SC	-
800mm	760 - 780mm	OROCSP80SC	OROCSP80BC
900mm	860 - 880mm	OROCSP90SC	OROCSP90BC
1000mm	960 - 980mm	OROCSP100SC	-

STEP 2 - SELECT SIZE OF DOOR

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
800mm	760mm	800mm	660mm	OROHD80SC	OROHD80BC
900mm	860mm	900mm	760mm	OROHD90SC	OROHD90BC
1000mm	960mm	1000mm	860mm	OROHD100SC	-


STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE	CODE - SILVER	CODE - MATTE BLACK
100mm	OROKIT1	-
200mm	OROKIT2	-
300mm	OROKIT3	OROKIT3B
400mm	OROKIT4	OROKIT4B

NOTE - HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

Each corner inline panel kit includes the following components:
inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.






HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

Setting the standard in frameless design, the ORO Hinge and Inline door with ultra frameless corner side panel will make a real style statement in your bathroom.

A generously proportioned shower enclosure, this modular design is ideal for larger showering spaces. With durability in mind, the corner side panel is supported by a minimalist chrome stabilising bar.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE	ADJUSTMENT	CODE - SILVER	CODE - MATTE BLACK
700mm	660 - 680mm	OROCSP70SC	-
760mm	720 - 740mm	OROCSP76SC	-
800mm	760 - 780mm	OROCSP80SC	OROCSP80BC
900mm	860 - 880mm	OROCSP90SC	OROCSP90BC
1000mm	960 - 980mm	OROCSP100SC	-



STEP 2 - SELECT SIZE OF DOOR

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - MATTE BLACK
	MIN	MAX			
1100mm Left Hand	1060mm	1100mm	740mm	OROHD110LSC	-
1100mm Right Hand	1060mm	1100mm	740mm	OROHD110RSC	-
1200mm Left Hand	1160mm	1200mm	740mm	OROHD120LSC	OROHD120LBC
1200mm Right Hand	1160mm	1200mm	740mm	OROHD120RSC	OROHD120RBC


STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE	CODE - SILVER	CODE - MATTE BLACK
100mm	OROKIT5	-
200mm	OROKIT6	-
300mm	OROKIT7	OROKIT7B
400mm	OROKIT8	OROKIT8B

NOTE - HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

*Tolerance of 20mm in the inline panel measurement reflecting the 20mm profile adjustment.

Each corner inline panel kit includes the following components: inline panel, bottom barrier bar and stabilising bar with fixing brackets. Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



ORO MATTE BLACK LEFT HAND HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL



ORO RIGHT HAND HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

8E TOUGHENED SAFETY GLASS	2000mm HEIGHT	20E CORNER SIDE PANEL ADJUSTMENT	20E DOOR ADJUSTMENT	10E ULTRA LOW BOTTOM RAIL	AVAILABLE IN SILVER & MATTE BLACK
CRAFTED HANDLE DESIGN	ULTRA CLEAR SEALS	SEAMLESS INTERIOR COVER STRIPS	SUITABLE FOR SHOWER TRAY INSTALLATION ONLY	CLEARVUE GLASS COATING	LIFETIME GUARANTEE

ORO[®] DOOR STYLES & HANDED DOOR GUIDE


SLIDER DOOR

Please select carefully the ORO Slider Door that is the correct hand opening for your space.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.




SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




BIFOLD DOOR

The ORO Bifold Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.



HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.




ORO[®] WATER RETENTION GUIDE

ORO Sliding Doors have an award winning design that reduces the need for invasive seals or large bottom rails allowing the customer a unique frameless showering experience.

As standard, ORO Sliding Doors come with a minimalist bottom barrier bar that does not include the use of an invasive seal or large bottom rail as part of the frameless design.

The ORO enclosure range is tested and certified for water retention in accordance with EN14428 where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions.

However, in unconventional showering practices, to further improve water retention and minimise any water escaping from the shower enclosure we have designed additional water retention solutions for optional use by customers.



A - Sliding Door Glass
B - Minimal Barrier Bar




OPTION 1 THRESHOLD SEAL

The ORO Threshold seal is a minimal 15mm high silver profile with a discreet clear seal that can be easily fitted on top of the barrier bar during or after installation.

The Threshold seal will provide an increased level of water retention and protect against large surges of water escaping from the shower area. ORO Threshold seals are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TSS, S-OROSA120TSS,
S-OROSA140-160TSS, S-OROSQTSS



A - Sliding Door Glass
B - Minimal Barrier Bar
1 - Threshold Seal




OPTION 2 THRESHOLD BARRIER BAR

The ORO Threshold Barrier Bar is a larger 27mm high barrier bar which can be easily fitted on top of the barrier bar during or after installation.

The Threshold Barrier Bar offers the highest level of water retention available in the ORO Frameless Sliding Door's design. ORO Threshold Barrier Bars are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TBS, S-OROSA120TBS,
S-OROSA140-160TBS, S-OROSQTBS



A - Sliding Door Glass
B - Minimal Barrier Bar
2 - Threshold Bar



ORO[®] ALTERNATIVE HANDLES

An alternative choice of ORO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome or Matte Black finish.

For ORO Range see pages 16-43.

PRODUCT SIZE	CODE
ORO Alternative Handle Chrome (compatible with all ORO doors except bifold)	S-OROHLE2
ORO Alternative Handle Matte Black (compatible with all ORO doors except bifold)	S-OROHLE2B
ORO Alternative Handle for Bifold - Chrome	S-ETO-OROHLE1
ORO Alternative Handle for Bifold - Matte Black	S-ETO-OROLE1B



ETO[®] ALTERNATIVE HANDLES

An alternative choice of ETO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome, Matte Black or Brushed Brass finish.

For ETO Range see pages 60-89.

PRODUCT SIZE	CODE
ETO Alternative Handle Chrome	S-ETO-OROHLE1
ETO Alternative Handle Matte Black	S-ETO-OROLE1B
ETO Alternative Handle Brushed Brass	S-ETO-OROHLE1BRB



QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair Shower doors and wetrooms are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. Shower doors and rotating wetroom panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

Flair Shower doors and rotating wetroom panels have also been tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Water is maintained where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions. Please note - Due to the weight of certain products, they may require a two man lift.

Images shown in this catalogue are for illustrative purposes only. All descriptions contained in this catalogue are for the purpose of explaining each product more clearly and do not form part of any contract with the company.

Guarantee

ORO & ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. A lifetime guarantee constitutes a term of 20 years. AYO Wetrooms and Bathscreens are covered by a 20 year guarantee against manufacturer defect. Shower Trays are subject to manufacturer guarantee. All guarantees are valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. This guarantee is for domestic use only.

***Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase. Glass shattering is not subject to Lifetime guarantee.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every Flair product.

After-sales & Spare Parts service

Flair Showers are 100% committed to customer service excellence. For ultimate peace of mind, a comprehensive range of spare parts is available for all Flair product ranges. If you would like to talk to an aftercare specialist about your Flair product, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.

Return Policy

Flair will not accept return of any product that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

Cleaning Guidelines

- Glass: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with warm soapy water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.

Installation

Full installation instructions are provided with each product to ensure correct installation. All Shower doors and wetroom panels are adjustable between the dimensions stated. All dimensions are approximate.

Shower Tray Installation

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

Conditions of Sale

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



APRIL 2023

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

OVER **76** YEARS



Connect with us



FLAIRSHOWERS.COM